

Means of Escape (MES)

Emergency Equipment (EES)

Lifesaving Systems & Appliances (LSS)

Fire Fighting Equipment (FES)

Fire Control (SIS)

Warning (WSS)

Mandatory (MSS)

Prohibition (PSS)

Low Location Lighting (LLL)

Posters

Braille

Engraving

Stencils

TECHNICAL PROPERTIES OF PHOTOLUMINESCENT SAFETY SIGNS

QUALITY, STANDARDS & CERTIFICATION

Marine Lite Photoluminescent products are manufactured to the highest technical standards using state of the art equipment, thus ensuring we offer the best available Photoluminescent quality for safety signs.

Marine Lite Photoluminescent safety signs comply with the latest IMO Resolutions, SOLAS Convention and ISO standards.

Marine Lite Photoluminescent material is Type Approved by Lloyd's Register for use as Low-Location Lighting, escape route signs and fire equipment location marking. We at Marine Lite confirm that all our Signage is in accordance with the latest regulations.

Luminance Properties

	Luminescent Intensity (mcd/m ²) (After removing the exciting light)		Period of Decay	Г
Applicable Standards and Resolutions / Product	10 minutes	60 minutes	Luminescent Intensity greater than 0,32 mcd/m ²	
DIN 67 510 - 4	23 mcd/m ²	3 mcd/m ²		
IMO Res. A.752(18)	15 mcd/m ²	2 mcd/m ²		
ISO 15370	15 mcd/m ²	2 mcd/m ²		
Marine Lite Ltd PH Self Adhesive Polyester (TYPE 1)	100 mcd/m ²	10 mcd/m ²	1200 minutes	
Marine Lite Ltd RPH Rigid (TYPE 2)	100 mcd/m ²	10 mcd/m ²	1200 minutes	



Photoluminescent Signs:

Photoluminescent Polyester on rigid OPP: UV resistance for indoor & outdoor use.

Photoluminescent Self Adhesive Polyester: UV resistance for Indoor & outdoor use.

Sign Performance and Technical Properties Technical Guarantees for the Market

The Photoluminescent properties and performance values are now being printed on all Marine Lite signs as per latest requirements.

This brings the signs into alignment with other safety equipment where technical information is provided on the apparatus, e.g. extinguishers.



Installation Procedures


Self Adhesive Products

For correct installation of self adhesive signs, posters and tapes, surfaces should be smooth, clean and free from grease and dust.

It is very important to note that Self Adhesive products are not suitable for application to emulsion surfaces.

Rigid Signs

Rigid Signs can be drilled at each corner for mechanical fixing. They can also be fixed by using applied adhesives or double sided tape.



We supply TYPE 1 Photoluminescent material unless indicated otherwise.

 \bigcirc

HOW TO ORDER

104100(11)PH

104100
(11)
PH

	Standard Sizes		
Size	Height	Width	
02	40mm	10m	
05	150mm	75mm	
07	80mm	10m	
08	100mm	100mm	
09	100mm	300mm	
10	75mm	150mm	
11	150mm	150mm	
12	150mm	300mm	
13	150mm	400mm	
14	150mm	450mm	
15	200mm	100mm	
16	200mm	150mm	
17	200mm	300mm	
18	200mm	250mm	
19	200mm	200mm	
20	300mm	300mm	
23	50mm	50mm	
25	450mm	320mm	
39	300mm	400mm	
40	250mm	250mm	
42	100mm	200mm	
46	500mm	500mm	
48	150mm	200mm	
49	150mm	100mm	
50	300mm	150mm	
51	300mm	200mm	
52	250mm	200mm	
53	320mm	450mm	

Index	Page
MES - Means of Escape Signs	4-6
EES - Emergency Equipment Signs	7
LSS - Lifesaving Systems and Appliances Signs	8-9
Low Location Lighting Signs	10
Technical & Other Various Tapes	11
FES - Fire fighting Equipment Signs	12-15
SIS - Safety & Operating Instructions for Trained Personnel (Fire Control Signs)	16-22
Combination & Space Identification Signs	23
WSS - Warning Signs	24-26
Tie Tags	27
Car Deck Signs	27
MSS - Mandatory Action Signs	28-30
IMGD & Hazard Warning Diamonds	31-32
Classification, Labelling and Packaging of Chemical Substances Symbols	32
PSS - Prohibition Signs	33-34
Signs for Passenger Vessels and Terminal Buildings	35
Stair Markings	35
ISPS Code & Security Signs	36-37
Engraving	38
Stencils	38
Aluminum Flag & Angled Signs	38
Braille Signage	39
Lifebuoy & Lifeboat Markings	40
Self Adhesive Characters	40
Sign Fixing Components	40
Frames, Caution Boards and Poster Display Shields	41
Pictograms	42
Aluminum Foil Floor & Wall Graphics	42
Training, Safety and Environmental Posters	43-57
Safety Awareness Posters	58

Material

PH	Photoluminescent Self Adhesive Vinyl
RPH	Photoluminescent Rigid PVC
WV	White Self Adhesive Vinyl
TV	Transparent Self Adhesive Vinyl
YV	Yellow Self Adhesive Vinyl
RV	Red Self Adhesive Vinyl
PV	Purple Self Adhesive Vinyl
LP	Laminated paper
PVC	White Rigid PVC
ILL	Illustration Paper 200gr

Marine Signage Designs

All signs are in compliance with the latest regulations at time of printing. We reserve the right to alter the design and specification of the product so as to be in compliance with any new regulations

Width vs Luminance in LLL Systems

According to Standard I	SO 15370
-------------------------	----------

	-	
Width mm	Luminace at 10 min mcd/m2	Luminance at 60 min mcd/m2
75	15,00	2,00
70	17,22	2,30
55	27,89	3,72
50	33,75	4,50
35	68,88	9,18
30	93,75	12,50



MES - MEANS OF ESCAPE SIGNS

Door opens by pushing on left-hand side MES011	Door opens by pushing on right-hand side MES010	Door opens by pulling on left-hand side MES008	Door opens by pulling on right-hand side MES009	Escape ladder E059
114587 100x100mm 150x150mm	114588 100x100mm 150x150mm	114592 100x100mm 150x150mm	114593 100x100mm 150x150mm	104594 100x100mm 150x150mm
Emergency exit for people unable to walk or with walking impairment (left) E026	Emergency exit for people unable to walk or with walking impairment (right E030	E017	Lift- do not use in case of fire On not use lift Use the statrs	
114819 100x100mm 150x150mm	114820 100x100mm 150x150mm	104583 100x100mm 150x150mm	146300 100x100mm 150x150mm	
Emergency Exit	for emergency use only	Exit	EXIT	Arrow to be used only in combination with 104385 & 230140
230140 100x100mm 150x150mm 100x300mm	104424 100x100mm 150x150mm	104385 100x100mm 150x150mm	104425 100x100mm 150x150mm	104420(05) 75x150mm
Lifeboat	Lifeboat 📟 🔶	K Eifeboat	Lifeboat 📟 7	🗲 📟 Lifeboat
114300 100x300mm	114301 100x300mm	114302 100x300mm	114303 100x300mm	114304 100x300mm
Lifeboat 🔤 🔶	😢 📾 Lifeboat	Lifeboat 📟 🔰	V 📾 Lifeboat	Lifeboat 📾 🤟
114305 100x300mm	114306 100x300mm	114307 100x300mm	114308 100x300mm	114309 100x300mm
Assembly station	Assembly to the station	Assembly station	Assembly station	Assembly station
104320 100x300mm	114321 100x300mm	114322 100x300mm	114323 100x300mm	114324 100x300mm
Assembly station	Assembly station	Assembly station	Assembly station	Assembly station
114325 100x300mm	114326 100x300mm	114327 100x300mm	114328 100x300mm	114329 100x300mm
Muster station	Muster 💒 个	Nuster station	Muster station	Huster station
114330 100x300mm	114331 100x300mm	114332 100x300mm	114333 100x300mm	114334 100x300mm
Muster station	L Muster station	Muster station	Muster station	Muster station
114335 100x300mm	114336 100x300mm	114337 100x300mm	114338 100x300mm	114339 100x300mm

 $\langle \boldsymbol{\leftarrow} \rangle$



MES - MEANS OF ESCAPE SIGNS

Escape route	Escape to s	sea Escap	e hatch Es	cape door	Escape window
114340 100x300mm 150x400mm	114341 100x300 150x400		00x300mm 11434 50x400mm	43 100x300mm 150x400mm	114344 100x300mm 150x400mm
Emergency escape	Deck	Stai	rway 🛛 🛛	Escape ladder	Deck 8
114345 100x300mm 150x400mm	114470 100x300 150x400		00x300mm 10418 50x400mm	88 100x300mm 150x400mm	114470(No. x) 100x300mm 150x400mm
🛧 🔁 Exit	Exit 🖧		Exit	xit 🔀 🛪	🗲 🔁 Exit
114400 100x300mm 150x400mm	114401 100x300 150x400		00x300mm 11440 50x400mm	03 100x300mm 150x400mm	114404 100x300mm 150x400mm
Exit 🔀 →	🕊 🔁 Ex	kit Exit	<u>v</u> 7	🖌 🔁 Exit	Exit 🖧 🗸
114405 100x300mm 150x400mm	114406 100x300 150x400		00x300mm 11440 50x400mm	08 100x300mm 150x400mm	114409 100x300mm 150x400mm
🔁 Exit	Exit	秋 沈	for for emergency emergency		🗲 🔁 Fire
114410 100x300mm 150x400mm	114411 100x300 150x400		use only use of 00x300mm 1144 50x300mm		230106 100x300mm 150x400mm
Fire 🔀 🗲	7 E>	cit Exit	x l	For use only	Exit for emergency use only
230107 100x300mm 150x400mm	114414 100x300 150x300		00x300mm 1144 [.] 50x300mm	16 100x300mm 150x300mm	114417 100x300mm 150x300mm
Refuge ¢ point	Refuge b t point 7 K		uge point eep clear	لر 🕂	Ŀ. →
114814 200x400mm	114815 100x300 150x400		00x300mm 11482	24 100x300mm 150x300mm	114825 100x300mm 150x300mm
Push bar to open	← Slide to d	ppen Slide to o	ppen 🚺 🛃	Push to open	Pull to open
11-0095 100x300mm 150x400mm	114482 100x300)mm 114483 1	00x300mm 11448	80(09) 100x300mm	114481(09) 100x300mm
<u>×</u>	<u>72</u>		F		Ð
<u>s</u>	Ð	P u s h	P u I	Turn to open	Turn to open
11-0096 100x300mm	11-0097 100x300mm	114485 100x300mm	114486 100x300mm	114489 100x300mm	114490 100x300mm

EES - EMERGENCY EQUIPMENT SIGNS



Emergency equipment signs are safe condition signs used to indicate the exact location of first aid facilities, first aid equipment, or portable safety equipment, the type of facility or equipment and any instructions for its use.



104127 100x100mm 150x150mm

Safety

showe

EE\$004



100x100mm 104151 150x150mm




104161 100x100mm 150x150mm



100x100mm

Emergency

stop button



ALC: NOTE: N	Medica	1
	grab ba	ļ

100x300mm

104136



104172



104176 100x300mm





104184

104189



Safety

equipment

Helideck

100x300mm

100x300mm





10-0440

104139

104137 100x100mm

150x150mm

chair

E060

100x100mm

150x150mm



10-0470



100x100mm G230077 150x150mm

104140



104138 100x300mm







104177 100x300mm



104181 100x300mm









104190 100x300mm



104150 100x100mm 150x150mm



100x100mm 104135 150x150mm

> Safety equipment EES011

100x100mm

104155 150x150mm



104198

104131

104156

eneral alarn

104153w/t











100x300mm



telephone



apparatus

104182 100x300mm



104186

104193




100x300mm


100x300mm

First aiders

104183







In emergency Break glass to open

104195

150x150mm Emergency escape breathing device **EES008**

100x100mm

Evewash

station

EES003

104129 104078w/t

104152

Emergency

telephone

100x100mm

150x150mm

Oxygen

EES007

100x100mm

150x150mm

Shipboard

FES012

100x100mm

150x150mm

Drinking

water

E015

100x100mm

general alarm

resuscitator

EES002



Break to obtain access **FES013**

100x100mm

150x150mm

100x100mm 104164 150x150mm

First aid

First aid

104170 200x150mm







100x300mm 104175




stop














100x300mm



100x300mm

07



Hospital

100x100mm

150x150mm

Strecher

EES005



LSS - LIFESAVING SYSTEMS AND APPLIANCES SIGNS

Life saving systems and appliances signs are safe condition signs used to indicate the exact location or storage of the life-saving equipment, the type of equipment, the identification number and any instructions for its correct use.







104100 100x100mm 150x150mm 104123 300x300mm









Emergency position

indicating

FPIRB

radio beacon

104110 100x100mm 150x150mm 300x300mm







104120 100x100mm 150x150mm 300x300mm





104133

08



Rescue boat LSS002

104101 100x100mm 150x150mm 300x300mm



104111

SAR

104134

104106 100x100mm 150x150mm



100x100mm 150x150mm



104115 100x100mm 150x150mm



104122 50x50mm



100x100mm 150x150mm



104102 100x100mm 150x150mm 300x300mm



104107 100x100mm 150x150mm

> Survival clothing Immersion suit LSS021

104112 100x100mm 150x150mm

104116 100x100mm



104125



104142 100x100mm 150x150mm



104103 100x100mm 150x150mm 300x300mm



104108 100x100mm 150x150mm



104112CH 100x100mm 150x150mm



104117 100x100mm 150x150mm



104126 100x100mm 150x150mm



104157 100x100mm 150x150mm



104104

100x100mm

ladder

LSS018

Embarkation

150x150mm 300x300mm



Lifebuoy with light and smoke LSS008.1

104109

100x100mm 150x150mm

> Two-way VHF radio-telephone apparatus LSS016

104113 100x100mm 150x150mm



104118 100x100mm



Max 2 persons

100x100mm 104128 150x150mm



100x100mm 104050 150x150mm





















Survival craft distress signal LSS013



150x150mm










lifejacket LSS011







LSS - LIFESAVING SYSTEMS AND APPLIANCES SIGNS





LOW LOCATION LIGHTING SIGNS

R Lloyth

Certificate of Approval

MARINE LITE PRINTING S.A

3

Photoluminescent LLL

Low Location Lighting acc. to SOLAS and ISO 15370

MEASUREMENT SERVICE


 Luminance measurement acc. SOLAS, ISO 15370 and DIN 67510

• Illuminance and Luminance measurement with certified and calibrated measurement equipment

Computer data evaluation with diagram

• Marine Lite Printing SA - Measurement is certificated from Classification Authority Lloyds to carry out luminance measurements (Certified Service Supplier)

WALL PROFILES & TAPES



LUMINANCE CLASSIFICATIONS

Class B C D After 10 minutes 50 mcd/m² 140 mcd/m² 260 mcd/m² After 60 minutes 7 mcd/m² 20 mcd/m² 35 mcd/m² Luminance is expressed in millicandelas per square metre (mcd/m²) after exposure according to DIN67510 Part 1 (5 minutes at 1000 lux).

R

-

al of Service Sur

ASSOCIATED LLL SIGNS



Assembly station left **132380** | 35 mm 50 mm 75 mm



Assembly station right **132381** | 35 mm 50 mm 75 mm



Fire extinguisher 136100 | 35 mn

50 n 50 n 75 n



Emergency exit left **132382** | 35 mm 50 mm 75 mm



Emergency exit right 132383 35 mm 50 mm 75 mm



Fire alarm call point 136101 35 mm 50 mm 75 mm



132384 | 35 mm 50 mm 75 mm



Stairs right **132385** | 35 mm 50 mm 75 mm



Fire hose reel **136102** 35 mm 50 mm 75 mm



exit right 132386 | 35 mm 50 mm 75 mm



X





Way fi 12208

Way finding dots 122086 | 60mm 122088 | 80mm

35 mm 50 mm 75 mm

TECHNICAL & OTHER VARIOUS TAPES









150x150mm



146106 100x100mm 150x150mm



bottle **FES010**

Fixed fire

extinguishing

146111 100x100mm 150x150mm





Station

number 2



146202(05) 75x150mm 146202 100x100mm 146252 150x150mm

Station

number 7



146207(05) 75x150mm 146207 100x100mm 150x150mm



146101 100x100mm 150x150mm

146107

146112

146260

146210



Fire alarm

call point

FES004







100x100mm 150x150mm



100x100mm 150x150mm



146203(05) 75x150mm 146203 100x100mm 146253 150x150mm



146208(05) 75x150mm 146208 100x100mm 146258 150x150mm





146102 100x100mm 150x150mm

Fire hose

FFS002

reel



146108 100x100mm 150x150mm



146113 100x100mm 150x150mm

> Direction indicator diagonal fire arrow

146261 100x100mm 146211 150x150mm



146204(05) 75x150mm 146204 100x100mm 146254 150x150mm



146209(05) 75x150mm 100x100mm 146259 150x150mm



Collection of firefighting equipment. Fire locker FES003

146103 100x100mm 150x150mm



146109 100x100mm 150x150mm



100x100mm 150x150mm

> Station number 0

146200(05) 75x150mm 146200 100x100mm 146250 150x150mm

> Station number 5

146205(05) 75x150mm 146205 100x100mm 146255 150x150mm



156212 150x75mm



146104 100x100mm 150x150mm



Fixed fire extinguishing installation **FES009**

Fire blanket

F016

100x100mm 146110 150x150mm



146116 100x100mm

150x150mm



146201(05) 75x150mm 146201 100x100mm 146251 150x150mm

> Station number 6

146206(05) 75x150mm 146206 100x100mm 146256 150x150mm



15-0054 60x150mm





























FES - FIRE FIGHTING EQUIPMENT SIGNS

Supplementary text sign	Supplementary text sign	Supplementary text sign	Supplementary text sign	Supplementary text sign
Water fog applicator	Fixed fire extinguisher	Fixed fire extinguishing bottle	Remote release station	Fire monitor
14-0350 75x150mm	14-0351 75x150mm	14-0352 75x150mm	14-0353 75x150mm	14-0354 75x150mm
Supplementary text sign	Supplementary text sign	Supplementary text sign	Supplementary text sign	Supplementary text sign
Fire-fighters two-way portable radiotelephone apparatus	CO ₂ room	Foam station	Fire hydrant	Battery room
144063 75x150mm	230004 75x150mm 150x200mm	230006 75x150mm 150x200mm	230010 75x150mm 150x200mm	230021 75x150mm 150x200mm
Supplementary text sign	Supplementary text sign	Supplementary text sign	Supplementary text sign	Supplementary text sign
DEADMAN Alarm reset	Fire equipment locker	Emergency generator room	In case of fire do not use elevator	Portable gas detector
230206 75x150mm 150x200mm	230213 75x150mm 150x200mm	230229 75x150mm 150x200mm	230285 75x150mm 150x200mm	230304 75x150mm 150x200mm
Fire extinguishe	r 🖁 🕻 🕅 Fire	alarm 🖁 🖁	Fire alarm	In case of fire the break glass
146140 100x300mm	146141 100x300r	mm 146142	100x300mm 1461	43 100x300mm
Fire hos	Fire		Open valve	Fire point
in S Fire hos	^e hose	reel	before running out hose	S The point
146144 100x300mm	146145 100x300r	mm 146146	100x300mm 1461	
Fire hydrai	nt Fire fig equipm stored		Fire blanket	To be used only in the case of fire
146148 100x300mm	146149 100x300r	mm 146150	100x300mm 1461	51 100x300mm
Sprinkler stop valv		ler I valve	Open this valve in the event of fire	Foam inlet
146152 100x300mm	146153 100x300r	mm 146154	100x300mm 1461	155 100x300mm
Firemans switch	Fire	hone	Firemans suit	Fire pump start button
146156 100x300mm	146157 100x300r	mm 146158	100x300mm 1461	59 100x300mm
Fire fla	p For u on ar	ny fires	For use on flammable liquid fires	For use on electrical fires
146160 100x300mm	146163 100x300r	mm 146164	100x300mm 1461	65 100x300mm
Fixed fire extinguishin battery		led fire Juisher	Spare tank	Portable applicator
146169 100x300mm	146133 100x300mn	n 14-0347(09	9) 100x300mm 14-0	348(09) 100x300mm

FES - FIRE FIGHTING EQUIPMENT SIGNS





Specific information for qualified personnel on the use of specialised safety and fire protection equipment and life-saving appliances on board ship.





A-class This catagory of signage includes fire control symbols according to IMO resolution A.654(16) which may still be used by vessels build before 2004 and fire control symbols according to IMO resolution A.952(23) division From the 1st of January 2019 all signage aboard new vessels must comply with IMO resolution A1116(30) (significant changes can be see on pages 18 to 20) Noted these changes also apply to vessels build prior to the 1st January 2019 that undergo repairs, 156751 100x100mm alterations, modifications and outfitting. 150x150mm B-class A-class Main vertical A-class A-class hinged division zone hinged hinaed fire door fire door watertight fire door left right 156755 100x100mm 156752 100x100mm 156753 100x100mm 156754L 100x100mm 156754R 100x100mm 150x150mm 150x150mm 150x150mm 150x150mm 150x150mm A-class B-class B-class B-class B-class hinged semihinged hinged hinged hinged semiwatertight fire door fire door watertight watertight SWT SWT WΤ fire door left right fire door fire door 100x100mm 100x100mm 100x100mm 156759 156756 156757L 100x100mm 156757R 100x100mm 156758 150x150mm 150x150mm 150x150mm 150x150mm 150x150mm A-class A-class A-class A-class **B**-class hinged hinged hinged hinged hinged self-closing self-closing self-closing self-closing self-closing fire door fire door watertight semi-watertight fire door left Right fire door fire door left 156763L 100x100mm 100x100mm 156760R 100x100mm 100x100mm 156760L 100x100mm 156761 156762 150x150mm 150x150mm 150x150mm 150x150mm 150x150mm A-class **B**-class B-class A-class A-class hinged hinged hinged sliding sliding WT self-closing self-closing self-closing fire door watertight fire door watertight semi-watertight fire door fire door fire door right 100x100mm 156767 156763R 100x100mm 156764 100x100mm 156765 100x100mm 156766 100x100mm 150x150mm 150x150mm 150x150mm 150x150mm 150x150mm

1<u>6</u>













SIS - SAFETY AND OPERATING INSTRUCTIONS FOR TRAINED PERSONNEL


Note below the significant changes to the signage for all new vessels build after the 1st of January 2019 and for existing vessels build prior to the 1st January 2019 that undergo repairs, alterations, modifications and outfitting.













Pictograms for use with fire extinguisher signs

22-2607 330x410mm



WSS - WARNING SIGNS



200x150mm

200x150mm

200x150mm

200x150mm

24

200x150mm

200x150mm

WSS - WARNING SIGNS







187601 200x150mm



187614 200x150mm



187620 200x150mm



Danger

Harmful vapours

187604

380 volts 187615 200x150mm



187623 200x150mm

Danger Harmful chemicals 187605 200x150mm



187616 200x150mm



187624 200x150mm



High voltage 187610 200x150mm



187617 200x150mm



187625 200x150mm



200x150mm



187574 200x150mm



187584 200x150mm



Danger Caustic

187597 200x150mm



187611 200x150mm



187618 200x150mm



187626 200x150mm

Caution Out of order

187566 200x150mm



187579 200x150mm



187585 200x150mm



187600 200x150mm



200x150mm



187619 200x150mm



187627 200x150mm





WSS - WARNING SIGNS

Danger Live wires 187628 200x150mm 2	Danger Uneven surfaceDanger Eire risk187629 00x150mm187630 200x150mm	Danger Flammable 187631 200x150mm 2	Danger Highly ramableDanger Planmable187632 00x150mm187633 200x150mm
Danger L.P.G. Flammable 187634 200x150mm 2	Danger Nghy TermsteeDanger Low flash point187635 00x150mm187636 200x150mm	Caution Noise 187650 200x150mm 2	Caution Radiation 187660 00x150mm
187670	Caution Non-ionizing radiation 187673 00x150mm	Danger of infection 187681 200x150mm	Oxygen Acetylene 187700(16) 187701(16) 200x150mm 200x150mm
Main switch 230053 200x150mm	Caution Hanging cargoes 187402(16) 200x150mm	Danger Man working near radar 23-0105 200x150mm	KHATAR 18-0170 700X500mm
Warning This ship is fitted with a base of the ship is fitted with a base of the ship is fitted with a base of the ship is ship is the ship is ship	mm 187569(09) 100x300mm	Very hot water 187577(09) 100x300mm	WARNING Radio antennas to be earthed during cargo operations 187578(09) 100x300mm
Danger Hot surface	High	Oxygen	Acetylene
187579(09) 100X300m	nm 187598 100x300mm	187700(09) 100x300mm	187701(09) 100x300mm
23-0128 100X300mm	23-0492 100X300mm	23-0755 100X300mm	WHEN YOU STEP ON STAIRS 23-0853 100X300mm
PLEASE USE HANDRAILS 23-1527 100X300mm	MIND YOUR HEAD 23-1623 100X300mm	X WATCH YOUR STEP 23-1625 100X300mm	WATCH YOUR HEAD 23-1644 100X300mm
GRASP HAND RAIL WHEN USING LADDER 23-1782 100X300mm	CAUTION 23-5219 100X300mm	WATCH YOUR STEP 230002 100X300mm	HOLD THE GRIPS OF THE STAIRS KYNTELGE AND TH XEPOABET THE KMMARAE 23-1321 100X300mm
DECK SLIPPERY WHEN WET OALEOHPO KATATTPOMA OTAN EINAI YTPO 23-0492(EN/GR) 100X300mm	MINDYOURHEAD PROZEXETE TO KEGAAN ZAZ 23-0122(EN/GR) 100X300mm	CONTRACT OF AND THE STATE OF A ST	WATCH YOUR STEP RPOZEXETE ROY RATATE 230002(EN/GR) 100X300mm







195656 150x150mm



Wear a welding MSS019

> Use table saw adjustable

guards

M031

195603 150x150mm

19-0130 150x150mm



195657

150x150mm

Use this

walkway

M024

19-0142 150x150mm

MSS012

150x150mm



195600

footbridge M023

manual or

booklet MSS002

150x150mm

Use

150x150mm



19-0259 150x150mm

Protect infants' eyes with opaque eye protection



195601

195608

230305 150x150mm

from electrical outlet

MSS006

150x150mm

Use

apron

M026

150x150mm

Sound

protective

150x150mm 195800

must be

MSS007

worn

150x150mm

Connect an

earth terminal

to the around


MSS005

50x50mm

195602

195662

MSS - MANDATORY ACTION SIGNS




MSS - MANDATORY ACTION SIGNS Lifejackets t be wor at all times 195739 195740 195742 195759 195767 195768 195769 195782 200x150mm 200x150mm 200x150mm 200x150mm 200x150mm 200x150mm 200x150mm 200x150mm O n the pla Adjust pressure Secure painter is not in use Keep Keep Ratined & Street according to to strong point ~ the torch in use clear shut before launching shall be Bakery & dairy 117 195784 195870 195871 195872 195873 195874 195875 195876 300x200mm 200x150mm 200x150mm 200x150mm 200x150mm 200x150mm 200x150mm 200x150mm 0 0 0 EMERGENCY EVACUATION INSTRU The second determined water science in 1 and science of the second science in 1 and Man overb Please clo IRE EXIT Safety quietly KEEP CLEAR first nle sleeni 195880 195900 195901 195902 195903 230331 195877 195878 200x150mm 200x150mm 150x150mm 250x200mm 250x200mm 200x150mm 200x150mm 200x150mm Rescue boat launching Liferaft Lifeboat launching launching Protective Think safety equipment stored inside 150x200mm 150x200mm 150x200mm 195110 195111 195112 195675 100x300mm 195676 100x300mm Personal protective oid injury take must be worn in this area **Plastic only** equipment is provided. ng rough weather USE IT 195677 100x300mm 195678 100x300mm 195679 100x300mm 195680 100x300mm 195690 100x300mm No plastic or Compaction Food waste Comminution Incineration only food waste only only only 195693 100x300mm 195692 100x300mm 100x300mm 195694 100x300mm 195695 100x300mm 195691 be kept locked on security alert 195745 100x300mm 195746 100x300mm 195754 100x300mm 195824 100x300mm ESCAPE ROUTE KEEP entilation **EMERGENCY EXIT FIRE EXIT** Accidents must be reported to be used prior to entry KEEP CLEAR CLEAR AT ALL TIMES **KEEP CLEAR** 100x300mm 100x300mm 195851 100x300mm 195852 195830 195831 195832 100x300mm 100x300mm 150x450mm 150x450mm All visitors his door is to **Oil spill equipment** be kept locked please report to the duty offic on the bridge stored inside in port 195853 100x300mm 195854 100x300mm 195855 100x300mm 215825 100x300mm 230076 100x300mm 00000000 It is required that all personnel wear protective clothing. Είναι υποχρεωτικό όλο το προσωπικό να χρησιμοποιεί τα μέσα προστασίας.

230343 200x400mm

IMGD & HAZARD WARNING DIAMONDS

Hazard Warning Diamonds with Class Numbers



\bigcirc

IMGD & HAZARD WARNING DIAMONDS

Hazard Warning Signs with Panel for UN Numbers



PSS - PROHIBITION SIGNS

Prohibition signs are used to restrict or prohibit the movement and actions of persons.



PSS - PROHIBITION SIGNS

No access to car deck while vessel is at sea	Do not enter	No exit	No entry to unauthorised personnel
208541 100x300mm	208542 100x300mm	208543 100x300mm	208544 100x300mm
Authorised personnel only	Do not enter the pumproom	except by authorised personnel, and unless vertilation has been in use for at least 15 minutes prior entry	Do not touch
208545 100x300mm	208546 100x300mm	208547 100x300mm	208548 100x300mm
No admittance	Do not drink	Do not switch off	Do not switch on
208549 100x300mm	208550 100x300mm	208551 100x300mm	208552 100x300mm
Do not operate	Unauthorised persons may not service machines	Do not carry out maintenance work on running machinery	No access
208553 100x300mm	208555 100x300mm	208556 100x300mm	208557 100x300mm
Keep out	Do not open	Do not close	Do not extinguish with water
208559 100x300mm	208560 100x300mm	208561 100x300mm	208563 100x300mm
Do not touch men working	Do not watch the arc	No smoking, drinking or eating within this area	DO NOT throw garbage overboard This vessel operates in a special area designated by international Maritime Law
208564 100x300mm	208565 100x300mm	208566 100x300mm	208567 100x300mm
Do not remove guards	Do not use unless guards are in position	Switch off mobile phones, pagers, cameras etc.	No workwear beyond this point
208568 100x300mm	208569 100x300mm	208570 100x300mm	208574 100x300mm
No smoking in elevator	Do not switch on Under maintenance	No unauthorised persons allowed beyond this point	Open flame and smoking prohibited
208575 75x200mm 100x300mm	208576 100x300mm	208578 100x300mm	230243 100x300mm
Do not enter without the Chief Officer's or Duty Officer's permission	No smoking (enty in specially designated areas)	Hicrowave Oven 1.0 not look closely into oven when its a watched and the switched and must not use this oven 3.4 ded containers such as infrol must not be placed in this oven	Do not leave garbage here
230277 100x300mm	23-0162 100x300mm	178618 100x300mm	178619 100x300mm
		WARNING!	This is a water flushing vacuum toilet system.
USE OF LIGHTER STRICTLY PROHIBITED	In the event of fire do not use this lift	Test water temperature before use	To prevent blockage, do not use for the disposal of any insoluble material
20-0071 200x150mm	23-0108 200x150mm	178000 75x140mm	178001 75x140mm

 (\Rightarrow)

SIGNS FOR PASSENGER VESSELS & TERMINAL BUILDINGS



STAIR MARKINGS

According to international codes and standards stairs in the course of escape routes should be marked so that the start, middle, and end of the escape route is clearly recognizable.



Aluminium Photoluminescent stair nosing

13-2399ALU 70mm x 22mm x 100cm


A Class G Photoluminescent aluminium stair nosing designed to illuminate stairways, during black out situations, to allow occupants to vacuate a building/ ship safely.

Photoluminescent L Shape Aluminium Anti-slip Stair Marker.

13-2821ALU 50mm x 200mm x 45mm

A Photoluminescent aluminium stair marker designed to illuminate stairways, during black out situations, to allow occupants to vacuate a building/ ship safely.

ISPS CODE SIGNS & SECURITY SIGNS



ISPS CODE SIGNS & SECURITY SIGNS



This Vessel or Facility is currently operating at MARSECLEVEL 1 Security Level Meretine according to the source of the metacord of the source of the so	LEVEL 3 Level so while the conduction like a forthand y walked as provided or leastwork,
MARKED Level 1 tommerant Betary, Annoy System Grant, Box, Origination Market Discussion Market Discussion Market Discussion Based Research and Response Centre 1-8000 cd24-8802 U.S.C.G. National Response Centre 1-8000 cd24-8802 Sign 2-0000 cd2-0000 Market Discussion	piciese people, dijecie or activities in: Spoorse Combra
230109(1) 200x300mm 230109(2) 200x300mm 230109(3)	200x300mm
SECURITY NOTICE This facility is currently operating at MARSEC LEVEL 1 BOARDING THE VESSEL OR ENTERING THIS FACILITY IS DEEMED VALID CONSENT TO SCREEMING OR INSPECTION PALURE TO CONSERT OR SUBMIT TO SCREEMING OR INSPECTION WILL RESULT NO BUILD AND OR ENTER 32CPRING.256(e)(2) 32CPRING.256(e)(3)	tty operating at EVEL 3 OR ENTERING THIS MED VALID IG OR INSPECTION) SEREENING OR INSPECTION 1000 OF AUTPORATION TO
23-0110(1) 200x300mm 23-0110(2) 200x300mm 23-0110(3)	200x300mm
This Ship or Port Facility is currently operating at This Ship or Port Facility is currently operating at SECURITY LEVEL 1 SECURITY LEVEL 2 Normal: The level at which ships and port facilities normally operate in accordance to the Ship or Port Facility is currently incidents or a long as there is a heightened: The level applying for as long as there is a heightened risk of a security incident or a suspicious people, objects or activities to: This Ship or Port Facility Security Plan Report transportation security incidents to: Report transportation security incidents or auspicious people, objects or activities to: Hegen there is a heightened: the level applying to rain a long as there is a heightened is or auspicious people, objects or activities to: Hegen there is a heightened: The level applying to rain a long as there is a heightened risk of a security incident or auspicious people, objects or activities to: Hegen there is a heightened: The level applying to rain a long as there is a heightened risk of a security incident or auspicious people, objects or activities to: Hegen there is a heightened: The level applying to rain a long as there is a heightened risk of a security incident or auspicious people, objects or activities to: Hegen there is a heightened: The level applying to rain a long as there is a heightened is the applying to rain a long as there is a heightened risk of a security incident or auspicious people, objects or activities to: Hegen there is a heightened: The level applying to rain a long as there is a heightened is the applying to rain a long as there is a heightened is the applying to rain a long as there is a heightened is the applying to rain a long as there is a heightened arain a long as as there is a heigh	LEVEL 3 (ying for the portion of obles on terminent risk incident. Incidents or suspicious activities on
230181(1) 200x300mm 230181(2) 200x300mm 230181(3)	200x300mm
SECURITY Security <th< td=""><td></td></th<>	
SECURITY NOTICE SECURITY NOTICE	UBJECT TO SEARCH THIS VESSEL AND/OR
ALL PERSONS INTENING OR BOARDING WUST CONSENT ALL WEAPONS ARE PROHIBITED ABOARD THIS VESSEL TO SECURITY SCREENING INSECTION OR SEARCH Boarding this vessel is deemed valid consent to Inspect or submit TO SCREENING OR SUBMIT TO SCREENING OR INSPECTION WILL RESULT IN DENIAL OR REVOCATION OF A UTHORIZATION TO BOARD OR ENTER	MIT TO SEARCH O BOARD US ITEMS ARE NOT E. THE MASTER OF ANY ITEM DEEMED ISON POSSESSING
230146 200x300mm 230174 200x300mm 230290 20	00x300mm
Security Notice Permit to board required. Visitors must report to the Security Officer on arrival and departure. Baggage and personal searches may be conducted. Authorised	
No weapons, incendiary devices and explosives All mobile phones, pages and other electronic equipment must be witched off or used No unauthorised weapons or photography No unauthorised wea	void if broken
any violations Security badge Secur	ity seal uctable paper 2700 50mm
173138 450x320mm	



ENGRAVING



Engraved Signs

Signs can be engraved on a number of substrates. They provide a tough and durable alternative to printed signs. When ordering engraved signs please provide us with the following information:

- 1) Material
- 2) Text or graphics
- 3) Dimensions
- 4) Backround Colour
- 5) Text colour



STENCILS



Adjustable Stencil Letters and Numbers A-Z Code: 23-613150 100mm height 0-9 Code: 23-613160 100mm height



Hand stamps used for permanent single character mark by indenting into the metal.
A-Z Code: 23-613109 100mm height
0-9 Code: 23-613124 100mm height




Design your own Reusable & One Use Stencils

- 1) Material reusable or one-use
- 2) Required dimensions
- 3) Text and /or graphics required



ALUMINUM FLAG AND ANGLED SIGNS



Square flag sign for wall mounting Material: Aluminum Width: 150mm, Height: 150mm



Square flag sign for ceiling mounting Material: Aluminum Width: 150mm, Height: 150mm

Design your own flag and angled signs: 1) Material

- 2) Required dimensions
- 3) Text and /or graphics required

ADA BRAILLE ACRYLIC SIGNAGE





We offer a complete collection of ADA Signage that keeps you legal.

Our collection of tactile signage gives you options! You can completely customize your signs based on the style and atmosphere of your space.

We offer multiple design options, colors and categories that add up to unlimited possibilities!

Even better, the entire ordering process happens in three simple steps, which include choosing design, style, colors and text.





LIFEBUOY & LIFEBOAT MARKINGS



Lifebuoy Markings

23-0384 50 mm Self Adhesive black lettering and Numbers



Lifeboat Markings

23-0699

Using Self Adhesive black lettering and numbers of any size required



SELF ADHESIVE CHARACTERS



Alphabet A to Z

17473201BV 30mm - 40mm - 50mm



Numbers 0-9

17473331BV 30mm - 40mm - 50mm



&

17473378BV 30mm - 40mm - 50mm



Dot & Comma

17473386BV 30mm - 40mm - 50mm

Individual self adhesive characters. Made of Black or White Vinyl and sold in 10 pcs per package



SIGN FIXING COMPONENTS

132802 | Sign Adhesive

SignFix 2 is a thixotropic, sag resistant adhesive/sealant staying in situ without movement and giving high initial bond to most substrate surfaces including, painted finishes. SignFix 2 is paintable wet-on-wet in under 30 minutes in most cases. Solvent and isocyanate free.

132803 | Application Gun To accept all standard size cartridges.



132802 Non-Dangerous goods for transport



FRAMES, CAUTION BOARDS & POSTER DISPLAY SHIELDS





A-Board Information Support Two Aluminium Boards with snap type frames

Sizes

23-1280A2(420mm x 594mm)23-1281B2(500mm x 700mm)23-1282A1(594mm x 841mm)23-1283B1(700mm x 1000mm)23-1284A0(841mm x 1189mm)



Frame Caution Board Inform us what sign you need

23-1295A (650mm x 270mm)



Greek Muster List & Station Bill Sleeves Set of Sleeves with optional Rigid PVC insert

23-0523 Small 23-0524 Large



Plexiglass Display Shield for Posters

23-5467PG (320mm x 220mm Thickness 2mm+2mm sandwich) 23-0234PG (470mm x 350mm Thickness 2mm+2mm sandwich)

Poster Frames

Aluminium Snap Poster Frames with round corners

Sizes

 23-1287
 A4(210mm x 297mm)

 23-1288
 A3(297mm x 420mm)

 23-1289
 A2(420mm x 594mm)

 23-1290
 B2(500mm x 700mm)

 23-1291
 B1(700mm x 1000mm)

Aluminium Information Display Free standing Display with snap type frames


Sizes 23-1285 A4(210mm x 297mm) Height 1m 23-1286 A3(297mm x 420mm) Height 1,2m

PICTOGRAMS

Fire Control & Lifesaving Pictograms according to IMO Resolution A.654(16), A.952(23), A.1116(30), ISO 17631 and ISO 24409

Code: 230015 Set of 10 pages (4370 pictograms)

 \rightarrow



\rightarrow


ALUMINUM FOIL FLOOR & WALL GRAPHICS






Our new Aluminum Floor & Wall Graphics are of a Textured & Slip-Resistant surface that is ideal for almost all surfaces, even Cement, Brick and & Asphalt! It is extremely safe, exceeds ASTM, British & CSIRO Slip-Resistant Standards. Requires no Heat Source for Application and no Professional Installation. Aluminum has no shrinkage and can be disposed of with Aluminum Recycling






Lifeboat Launching 221501 | 450x320mm (WV or PVC)



Liferaft Launching 221502 | 450x320mm (WV or PVC)



Inflatable Liferafts 221503 | 450x320mm (WV or PVC)



Enclosed Lifeboat Launching in a Safe Atmosphere

221504 | 450x320mm (WV or PVC)



Enclosed Lifeboat Launching in a Dangerous Atmosphere


221505 | 450x320mm (WV or PVC)



Enclosed Space Entry


221506 | 450x320mm (WV or PVC)






Enclosed Space Entry Safety Signs


221507 | 450x320mm (WV or PVC)



Wheel House Poster (Sheet 1) 221510 (1) | 320x450mm(PVC)



Pilot Card 221511 |320x450mm (PVC)




Preventing Oil Spills

221508 | 450x320mm (WV or PVC)



Electric Shock, Drowning or Serious Injury

221509 | 450x320mm (WV or PVC)



Wheel House Poster (Sheet 2) 221510 (2) | 320x450mm(PVC)




Emergency Muster List 221512 | 320x450mm (WV or PVC)



Accommodation Ladders

221513 | 450x320mm (WV or PVC)




Gangways

221514 | 450x320mm (WV or PVC)



Man Overboard


221515 | 450x320mm (WV or PVC)



Abandon Ship

221516 | 450x320mm (WV or PVC)






Enclosed Space & Tank Rescue

221517 |450x320mm (WV or PVC) SOLAS 1 (Poster)


221558 | 450x320mm (LP)





SOLAS 2 (Side 1)

221559 | 300x200mm (LP)



SOLAS 2 (Side 2) 221559 | 300x200mm (LP)




Free Fall Lifeboat Launching

221520 | 450x320mm (WV or PVC)



Towing 221521 | 450x320mm (WV or PVC)





Bunkering 221522 | 450x320mm (WV OR PVC) Post Oil Spill Actions 221523 | 450x320mm (WV or PVC)





Hotwork

221524 | 450x320mm (WV or PVC)




Working Aloft or Outboard 221525 | 450x320mm (WV or PVC)




Personal Protective Equipment

221528 | 450x320mm (WV or PVC)



Pilot Boarding Arrangements 221526 | 320x450mm (LP)




Garbage Disposal Plan 221529 | 320x450mm (WV or PVC)

Fire ext	ire ex	ctingu		type	S re suited
Extinguisher ass and application	Water	Foam spray	ABC powder	c0,	Wet
Wood, paper & worker	\	∽ ¦₁	√ ¹ / ₂	$\bigotimes_{\mathbb{N}^{2}}$	
Farrentik Ispitk		> ⁴ 1			
Panneste game			> 11	$\bigotimes_{\substack{n \in \mathbb{N} \\ n \in \mathbb{N}}}$	
4 Electroal contact			5	5	
Costing als & tata		$\bigotimes_{\underline{m}}$	$\bigotimes_{\mathbb{Z}^n}$		1
Safety p	procedure	es in com	pliance v	ith the IS	M Code

Extinguisher Types 221527 | 300x200mm (WV or PVC)





Craneage Safety 221530 | 450x320mm (WV or PVC)



Fire & Explosion Actions 221531 | 450x320mm (WV or PVC)

	Common gases	used on	vaccale	
Ampie	Calculates, eductions, acceleration, acceleration of galaxies properties and annuality.	nae Oli	Convertises, odec,meet, wondtake, applyptical or high occupantizations, heavier than an overflowmables.	
0000	Culturations, educations, mentionis, strengerman in high constructions, non-frammable test will accelerate particulture.	Free	decomprove when hearted. Forming toxic gas: Colourines, odoutees, econtrale, asphysilest in high conseringing, bearing that an configuration	
Angles	Cotoachese and adauthese bettarmed with exert gartic arreat, lighter than all, non-boxic, highly fasewalds, requires an insure ecologie in gartis.	Assult	stocargonau when backed forming toro gas. Colour line, menuent within lines, mittake all ands, of the	
August .	Colourises, odecidees tet normally samet with a purgent this tes server, tessiver their as non-tests, rightly formulas, sugaring minimum energy to apelle, septy-start is righ needed tools.	Palace UPL 78/297 and Assoc 128	respiratory system, heaves that at, flammads, Calourless, obsumess and sort tools at the extinguishers concertentions. Texic and supportent at higher encompositions. Resolution at, industrial local gas. There will encompare when the lasted. Territor local gas.	
Carlos: Junio	Colourisan, orderefrees had may cause some to sting at high concentrations, new links, anytopicantics high concentrations, heavier than sk: surflammable.	inerger and Argonite	Cation less, instructions, non-less and renflammatile. Il Is exceptional at very ligh conservations.	
Arps	Colourises, educities, auritude, augligitari in higi concentrations, heavier fron al, sentiarmados.	Andres Sugar Andres An Al 202 ML	Calcurina, Induziera, an etxali, cumharmate. Calcurina, obuciera, an etxali, cumharmater.	
	Safe handling		Safe storage	
Raty Lado	er made devices are evaluate for lifting and a gen referators and frame invalue should be used	Analysis estate presenting of the	yau hane current data sheeta fran yaur auguliar agasee pro hero ne beerd.	
Arver use ti	inga er slings in Ministelle.	insteade gas to humanite of the	den in all cabley planning with special regulation the proceeding samples.	
Sever Dates	o the defile carryfit when in transport. got bottlee fitter with passaure sepalators or tasses	The gas bottle selected prob	itere maat ise well voollikkel. It storage is on dela, store from the elements must be provided.	
adultive, unless on a purpose trajegori trajegori pilito: Channing cupporting the training by the values of a slight angin serving training theory is acceptable to only the state slight and training the training of presents as a pilother traches the same state of the training of presents as a pilother traches the same state of the training of presents as a pilother state state of the same state of the training of presents as a substate training of the same state state of the training of the same state of the same state state of the same state of the training of the same state of the same state state of the same state of the same state state of the same state state of the same state state of the same state of the same state of the same state state of the same state of the same state of the same state of the same state state of the same state of the same state of the same state of the same state of the same state state of the same state of t		Can ketter about comply to show approximate and Propers must new to store or and holicotally		
		Do set slow other ferms with gas hattles, particularly of, paret or carrierys Science.		
backaup water	enormente. Allian er une fram av millers for more utber fanns.	Sepreptia bell swisy Forciaria	ites all different types. Oxygen should be anned Sec fait gas, pryforably listicit, o fira buiktioni.	
When stand	ing a table spect. Seeans of the base alicing away		en fochlien in het arman.	
Acver after	yt in catch a failing both. Skent dear and let it fail. na to ned stard if caright again.		per buille values during obrage to prevent ingress of det. coming radices at state entations.	
Never Scove	ar unseened bottle analtersted. Manya lash a botte Daing it per lateral in large 3 even for a sheet general	Past science a		
Always one	r the samuel protective studying when handling gas drives and tooleaser and avoid focus clubting.		0	
T Aller	Por Po			

Gas Bottle Safety 221532 |450x320mm (WV or PVC)



Welding & Flamecutting

221533 | 450x320mm (WV or PVC)

Lao A Willia	Rat	Ateast	8100	sed	likspe	54401 1 4040
Rais 23 Investition manufacture and and and and and and	Name of Street S		No. 4950 (Augusta) No. 4950 (Aug	La L	-	
Rule 25		44.	2. L.	A net strating screeting and benchmarked as a second	+	-
Rula 35 rotrig forcest ripetrig	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	l 🗄	-	Sector for	+	-
Rune 28 Failing foreits Ditar man Franting monormation	Second Street, Support Street	<u>.</u>		TURA WINC	ŧĻ	-
Rufe 27 Vesition Minister Minister	dan <mark>l</mark> a		<u>.</u>		1	-
Role 27 Assesses of antice country motion and motion and motion and	44	*	<u>, 1.</u>		1	-
Rule 37	the second	4		And the second	ŧ	
Pours 38 Tesseets cenero skrand by cost	<u></u>	1	1			-
Rule 29 Not Vesere On Pitc Daty	North States	4		de la chemiera de la	+	
Hole 30 Hoteste al andres	dala dan	Å.	distr	teat some be	+	1111
Rute 30 Vessels aproved		\$, des	5-7) 	\$	423

Light, Shape & Sound Signals 221534 | 450x320mm (WV or PVC)



Engine & Machinery Room Safety

221535 | 450x320mm (WV or PVC)





YOU HAVE BEEN WARNED

Drug & Alcohol Warning Notice



substance is strictly forbidden on board this vessel. The shipowner will fully support the coast guard, police or any other public suborities in the prosecution of these using, possessing or being under the influence of drugs, alcohol or illegal substances aboard this.

YOU HAVE BEEN WARNED

IMO Safety Signs 221536 | 450x320mm (WV or PVC)

Drugs Warning

221537 | 300x200mm (WV or PVC) 221538 | 150x100mm (WV or PVC) Drugs & Alcohol Warning

221539 | 300x200mm (WV or PVC) **221540** | 150x100mm (WV or PVC)



<section-header><section-header><section-header><section-header>

DISCHARGE OF OLL PROHIBITED The federal Water Pollution Control Act prohibits the discharge of oil or oily waste into or upon the navigable waters of the United States, or the waters of the contiguous zone, or which may affect natural resources belonging to, appertaining to, or under the exclusive management authority of the United States, if such discharge causes a film or discoloration of the surface of the water or causes a sludge or emulsion beneath the surface of the water, Violators are subject to substantial civil penalties and / or oriminal sanctions including fines and imprisonment. LGCM 114.00 Discourse the substantial civil penalties read water. (pion 93-800 Discourse 11.000) 3000 5000 5000

Drug Use & Trafficking

221541 | 300x200mm (WV or PVC) Don't Throw Garbage Overboard 221542 |300x200mm (WV or PVC)

Discharge of Oil Prohibited


221543 | 200x250mm (WV or PVC)






Ship Board Food Hygiene

221544 | 450x320mm (WV or PVC)




Davit Launched Liferafts 221545 | 450x320mm (WV or PVC)



Evacuation Chutes & Slides

221546 | 450x320mm (WV or PVC)



Self Contained Breathing Apparatus

221547 | 450x320mm (WV or PVC)



CLP Regulation Classification, Labelling and Packaging $\langle \rangle$ \diamond ٨ $\langle S \rangle$ kity cet 1.2.3 Danger Acute toxicity, cat.4 Warning $\langle \rangle$ ide ritation, cat. 2 Warning CMR, cal. 1A, 10 Danger ٨ Warning CMR, cat. 2 $\langle \mathbf{k} \rangle$ us to the aquat perment, cat. 1 Warning Danger


Hazard Diamonds


221548 | 300x200mm (WV or PVC)

CPL Regulation Poster

221549 | 300x200mm (WV or PVC)









Hazchem Sign Guide

221550 | 300x200mm (WV or PVC)

First Aid - Burns & Scalds

221551 | 300x200mm (WV or PVC)

First Aid - Cuts & Abrasions

221552 | 300x200mm (WV or PVC)



First Aid - Fractures

221553 | 300x200mm (WV or PVC)



IMO Fire Control SymbolsAccording to IMO ResolutionA.654(16)221557 |450x320mm


(WV or PVC)



Mooring

221564 | 450x320mm (WV or PVC) (\Rightarrow)

TRAINING, SAFETY AND ENVIRONMENTAL POSTERS



Performance may differ from these records due to environmental, hull and loading conditions

Williamson Turn

221565 | 320x450mm (WV or PVC)

In ac	cordanc	e with ISO 14726	
Note Note:	Ref. Nos.	OF other than fuel	Ret Nos
The start	CISINS.	CTestini	TT THE HEAD
Name of Asian A	180824	autorite at least states	THE OLD
Encarja.	100000	The short to describe a second s	2061220
form convent	100000	and other as to prove the second seco	L. INLUZA
Freich Water	Ref. Non.	Theater	Rel Neo
The late later	and the second of	Charlenny 1	
Frank term	TROKER	(Eberan	TO DESCRIPTION
RO KING MALTING	XXXXXX		
Tabulation loss	10.000	Air in ventilation systems	Ref. Non
Educate .	142830	Notice of Control of C	The Local Solution
Constant of the second se		CHERTHERE	C INCIDIN
Seo Weter	Ref. Nos.	Building all and a little and a	THE R. LANSING
NUMBER OF	1100222	Second and a second sec	In Initian
No. No	CENTRAL CONTRACT	Charlena and	
Toring the second secon	C. Provide and	Charlenge Contraction	
Puel	Ref. Nos.	CHRISTERS	C DEFENS
WILLIAM NO.	the second second	Fire fighting fire protection	Ref. Non
Annu La	120003	Children and Childr	
	- UNITER-	Charlos and	THE THEFT
No Arts Ing fait	7419.92	Acceloration	11819129
Num flammable gases	Mar. Non.	And other states and s	TIMETICAL
Past.	- C.192909C	Landena Are	L_IIMTION
Sector Sector	Third Inc.	Fiareruble gases	Ret Nes
Departy Passage	TRACKS	- Analysis	TRIMO
	10 10034	C.Abyon	
Data arthunanan	1005034	2 Fire errors	Ref. Sec.
Robust	- 28/18 XX		Ref. Nes
			0.011/0-10-
2	CAPE-IN CONTRACTOR	CONTRACTOR CONTRACTOR OF CONTRACTOR	
	tad		
	fue 1000 240		
	mm [] #80	200 C 10 C 10 C	
	Tableto un la Contenti de la Content	Installation	
Trans. Int.	The street STOR . 1100	Tapes should be fitted althor side of y	
		penetrations, 'T's and crosses etc and	
and the second second second		intervals along the pipe. Prior to appli lagging must be dust and oil free. The	cetton pipes an
All pipe tapes above are offered as solf adhe	1,000	overlapped by at least 20mm on the h	lind side of
		the tace.	

Pipe Identification Tape

221566 | 450x320mm (WV or PVC)



IMO Fire Control Symbols IMO A.952(23) & ISO 17631 221567 | 450x320mm (WV or PVC)



Know your signs

221568 | 450x320mm (WV or PVC)



Electric Shock & Serious Injury

221569 | 450x320mm (WV or PVC)



Drowning & Hypothermia 221570 | 450x320mm (WV or PVC)




Precautions Against Piracy 221571 | 450x320mm

(WV or PVC)



Control of Noise

221572 | 450x320mm (WV or PVC)



Dedicated Fast Rescue Boat Operation

221573 | 450x320mm (WV or PVC)



Helicopter Operations Winching 221577 |450x320mm (WV or PVC)



Helicopter Operations Landing on 221578 |450x320mm (WV or PVC)





International Signalling Flags 221579 | 450x320mm (WV or PVC)



Free Fall Lifeboat Launching Procedure 22-0003 | 450x320mm (WV or PVC)



Immersion Suit Donning Instructions 229000 | 300x200mm (WV or PVC)



Rescue Boat Launching Procedure 230218 | 450x320mm (WV or PVC)



Lifejacket Donning Instructions (Side 1) 221045 | 300x200mm (LP)

-

0

0

Ð

Safety Poster

(WV or PVC)

17-0054 | 450x320mm

No entry to unauthorised

personnel

No Smoking

No naked lights

All personnel

must wear

individual

safety equipment



Lifejacket Donning Instructions (Side 2) 221045 | 300x200mm (LP)




Prohibition Signs Poster 22-0108 | 450x320mm (WV or PVC)

ANY GARBAGE DISPOSAL INTO THE SEA IS FORBIDDEN ACCORDING TO THE PROVISIONS OF ANNEX V OF MARPOL 73/78 KEEP THIS DOOR CLOSED DURING CARGO AND GAS FREEING OPERATIONS

Garbage Disposal is Forbidden 230182 | 200x250mm (WV or PVC) Cargo & Gas Freeing Operations 230293 | 200x250mm (WV or PVC)



Lifeboat Launching Procedure 22-0004 | 450x320mm (WV or PVC)



Safe Tank Atmosphere 230200 |450x320mm (WV or PVC)




	M shps a	Offstore platforms posted		
Getaga toa'	Outlide special areas and Antitic waters Regulation 4 Elistences are from the searced lensit	Within special arrays and Actic venture Regulation 6 Distances are from the nearist land, searest los-shoft or nearest fast los)	neuro than 12 nm trave neurost land and after vrive slongside or vittels 50 meters of auch platformal Regulation 8	
Pavel assists overaninulad ar ground ⁴	Statutege geveelded 50 mm, op mode wat as for as production	Discharge periodised (12 anti-als reade and an fer as presidential	the barys president	
Pool wake not overstimuted or graded	Discharge servitted 512 ans we have and as for as practicular	March 1997	Sinterproteint	
Cargo residues" not canadened sensitie to the market environment and not contained to wash water		matina protest.		
Cargo residues ⁴⁴ not considered sends to the marke and considered and contained to wash water		Discharge only permitted in specific circumstances 212 nm, en mate and as for an presidualite (subject to conditione is regulation 6.1.2 and perspecifi 5.2.5.6 of per E-A of Poter Code)		
Clearing sports and addition contained in same bold evaluation	Other angue country and	Electarge only percetted in specific circumstances yith new or nosits and as far as practicable (subject to conditions in regulation 6.12 and percentilities 5.2.1.5 of part I-A of Polar Code)	States and State	
Cleaning aports and addition?'s deals and estanted surfaces user/matter		Contarga paratitad		
Antered Concesses (should be updt or otherwise treated to whose the senses util sink tennelistely)	Weat the environment and an far- bound the responsibilities of an anomhra Manadal far shifts and and machines water slept	Birriggerind	lineburg position	
All other partnage instuding paratics, synthetic roses, finding pace, ballot participation bage, totherward and has, catheres, outside pit. Boeting cannege, fining and packing researching, produced and analytic ballow, produced and analytic ballow, produced and analytic ballow, produced and analytic ballow, produced and And ano ballowing it washing		Bacage or Other		
The process is now with an optimized protocol of a space with an optimized protocol of a space based reads and a protocol of the protocol of a space based protocol of the protocol of a space based of the protocol of the protocol protocol of the protocol	I by other twentil autoineous problems which proves through a series with the the destination of the series of the series through the series of the series of the series through the series of the series of the series of the series of the series of the series of the series the series of the series of the series of the series the series of	atheneise. Volation of these regards to delarge arrange different declarge of the space from the space of the space of the space of the space of the space of the space of the space of the space of the space of the space of the space of the space of the space of the space of the space of the space	eputanentia, the more attraped the ine mode stately. In polar waters, decharged with the los. a appointers or appointers or	

Restrictions to Discharge of Garbage into the Sea 22-0074 | 450x320mm

(WV or PVC)



Restrictions to Discharge of Garbage into the Sea 22-0074 | EN/GR 320x450mm (WV or PVC)



Garbage Record Book - Part I & II 221203 | 300x200mm (Book)

Attention all Passengers

Discharge of all garbege into the sea is prohibited except provided otherwise

Violation of these requirements may result in penalties

All garbage is to be retained on board


and placed in the bins provided.

The MARPOL Convector and domestic law generally prohibit the discharge of mo garbage from align into the same

Disc	sarge of all garbage into the sea is prohibited except provided otherwise
-Th Ow	e MARPOL Convertion and domestic law prohibit the discharge of most gastage from ships, the following garbage types are allowed to be discharged and under the opcolled conditions.
	Putside special areas designated under MARPOL Armex V and Arctic waters; Command or ground flod water (passing through a prose with opening no large that 30 mm (mm) and indicating of opening that 3 cm (hor the named land.
	Other food wantee map he discharged not less than 12 nm hom the rearest land.
-	Cargo residues classified as not harmful to the matrix environment may be clasharged not see than 12 nm from the magnet land.
-	Cleaning agents or additives in cargo hold, dock and external surfaces washing value may be discharged only if they are not harmful to the market environment.
1	With the acception of indextraping clearing agents or wolfdraw that are not have to be market excitoment and any contained in eaching water, the stig must be enriced and to find a production for the nearest start.
	Within special areas designated under MARPOL Annex V and Arctic waters have tilligent decreage regenerate apply for the declarges of tool waters and organizations, NO
	Consult MARPOL Annes V, chapter 5 of part 5-A of the Polar Coole and the stipboard partness management plan for details.
3	or all amount the less, while surviving specialized corpore such as two estimate or sold hold vargine should consult Aware V and the annumated "Sublatives for the implementation of Aware V
	Discharge of any type of garbage must be entered in the Garbage Record Book

Garbage Discharge Prohibited Crew & Shipboard 22-0140 | 450x320mm





22-0141 | 450x320mm

(WV or PVC)

Fixed or Floating Platforms & Ships operating within 500m of such platforms

charge of all gerbage into the sea is prohibited except provided otherwise

eminuted or ground food weakes may be discharge from food or floating ded more than 12 miles from the nearest land and from all other ships when whith 500 metres of such platforms.

The MARPEL Convertion and domestic law prohibit the discharge of all gathage into the sea from fixed or floating platforms and from all other ships when alongside or within 500 metres.

> Garbage Discharge Prohibited Passengers 22-0142 | 450x320mm (WV or PVC)



NO OFFENSIVE WEAPONS ALLOWED

VISITORS WILL BE MET ON DECK AND MUST REGISTER ONBOARD WITH A PHOTOGRAPHIC IDENTIFICATION DOCUMENTS AND MAY BE SUBJECT TO PERSONAL OR BAGGAGE SEARCHES

YOUR CO-OPERATION IS EXPECTED IN COMPLIANCE WITH MARITIME SECURITY REQUIREMENTS

THE MASTER

This Ship Complies with the I.M.O ISPS Code 223140 | 450x320mm

(WV or PVC)



Workplace First Aid Guide Poster 22-0128 | 450x320mm (WV or PVC)





Instructions for Use of Cylinder Central 230108 | 300x200mm (WV or PVC)



Escape Route & Equipment Location Marking Signs

22-0144 | 600x420mm (LP)



Safety in welding 23-0267 |320x450mm (WV or PVC)



Safety Procedures for Arc Welding 230117 | 300x200mm (WV or PVC)



Fire- Danger- Abandon Ship Card

230105EN/GR 230105 EN | 300x200mm (Paper 180gr)



Life-Saving Appliances & Arrangements Symbols 22-0145 | 600x420mm (LP)



Pump Room Entry Procedures 23-0568 |450x320mm (WV or PVC)

PERSONAL PROTECTION

ALWAYS

Wear a **SAFETY HELMET** on deck and in cargo, ballast and void spaces.

Wear SAFETY SHOES whilst working NEVER wear "flip-flops" or training shoes on deck. Use SAFETY GOGGLES when grinding, Chipping etc.

Wear GLOVES during mooring operations. Use EAR DEFENDERS in high noise areas,

machinery spaces, pumprooms etc. Use a SAFETY HARNESS when working aloft

or overside. Wear a BOILER SUIT/COVERALLS when

working in machinery spaces, pumprooms or on deck.

THINK SAFETY

Safety Poster Personal Protection No. 8 | 690x480mm (YV)

Na
ENTERING ENCLOSED SPACES
LITOLOGED SPACES
NOTE
Normal Fresh Air contains: 21% Oxygen 78% Nitrogen 1% Mixed gases
BEFORE ENTRY
1. Always start ventilation of enclosed space before entry. 2. First test space with QXYGEN ANALYSER - required reading 21% 3. Then check atmosphere with COMBUSTIBLE GAS INDICATOR (Explosimeter) - required reading zero.
4. Check for other toxic gases where appropriate using correct instruments. 5. Ensure no gas will enter from other sources. (i.e. Lines, Vents
or open Cargo Lines). 6. Establish communication links (preferably with Walkie Talkie). 7. Have breathing apparatus, resuscitation and, rescue equipment checked and ready for immediate use with responsible person
in charge. 8. Complete the ENTRY CHECK LIST.
WHILST INSIDE SPACE
Maintain ventilation. Maintain communications. Maintain atmosphere checks.
IMPORTANT
Compressed air breathing apparatus must be worn if above conditions cannot be guaranteed.
NEVER ENTER AN ENCLOSED SPACE WITHOUT PERMISSION AND ALWAYS
FOUL OW THE ENTRY PROCEDURES

Safety Poster Entering Enclosed Spaces

No. 10 |690x480mm (RV)



FIND The First Learn its size, Location and Combinatibles involved.

INFORM The Bridge and Sound the Alarm immediately - Even if the Firs Appents Small.

RESTRICT The Fire by Closing Draws, sociating free and Electrical Supplies and Closing Ventilation. Use Brandary Conding.

EXTINGUISH The Fire by seting the Correct Type and Queutity of The Fighting Media-Use CABA and Prefective Clothing.

Safety Poster F.I.R.E.

No. 9 | 690x480mm (RV)



Safety Poster - The Do's & Don'ts of Personal Safety

No. 12 | 450x320mm (LV)



MARPOL 73/78 Special Areas 22-0131 | 297x420mm (LP)

SAFETY AWARENESS POSTERS

Safety First Follow Correct Procedures



Informed is better than deformed!

Eye Protection 221700 450x320mm (WV) **Fire Prevention** 221701 450x320mm (WV) Housekeeping 221702 450x320mm (WV) **Hazardous Materials** 221703 450x320mm (WV) Lift Correctly 221704 450x320mm (WV) Slips & Falls 450x320mm (WV) 221705

Follow Correct Procedures 221706 450x320mm (WV) **Seek Medical Attention** 221707 450x320mm (WV) **Confined Spaces** 221708 450x320mm (WV) **Personal Protective Equipment (PPE)** 221709 450x320mm (WV) **Electrical Safety** 221710 450x320mm (WV) **Noise Protection** 221711 450x320mm (WV)

1. DEFINITIONS

1.1. In these Terms and Conditions (hereinafter the "Conditions"), 'Seller' shall mean Marine Lite Printing SA; 'Buyer' shall mean the party who buys or agrees to buy Goods or Services from the Seller or from a third party in cases where the Seller is acting as an intermediary .; 'Goods' shall mean all the articles which the Buyer agrees to buy from the Seller, or any of them; 'Services' includes, but is not limited to, the carrying out of maintenance, overhaul, repair work, reconditioning, whether on board ships or ashore and dry docking; 'Price' shall mean the price for the Goods or Services as set out in the invoice issued by the Seller; "Contract" shall mean the contract for the sale of Goods or supply of Services between the Seller and the Buyer. 2. GENERAL

2.1. Subject to Clause 2.2, these Conditions together with the terms set out in the Seller's Sales Confirmation and invoice shall apply to all contracts for the sale of Goods or supply of Services by the Seller to the Buyer, to the exclusion of all other terms and conditions including any terms or conditions which the Buyer may purport to apply in any other document, and shall constitute the entire agreement between the Seller and the Buyer and supersede all prior discussions, agreements and terms. 2.2. Where the Seller acts as an intermediary, with express or implied authority to negotiate and conclude with a third party the purchase of Goods or supply of Services on behalf of the Buyer,

the contract for the sale of Goods or supply of Services shall be made between the Buyer and that third party on the terms and conditions applicable by that third party. The Seller shall not in such case be a party to that contract as between the Buyer and the third party and shall have no responsibility nor liability whatsoever in connection therewith nor performance thereof. The Seller shall always have the rights and limitations set out in these Conditions. Furthermore, in consideration of the Seller acting as an intermediary as set out above, the Buyer agrees to hold the Seller

harmless and indemnify the Seller against all losses suffered in connection with the Seller so acting. 2.3. All orders for Goods or Services shall be deemed to be an offer by the Buyer to purchase Goods or Services subject to these Conditions only 2.4. In entering into the Contract the Buyer has not relied upon any statements or representations made by the Seller.

2.5. Any provision in these Conditions which may be invalid or unenforceable shall to the extent of such invalidity or unenforceability be deemed severable and shall not affect any other provision(s) in these Conditions

2.6. The provisions of the Contracts (Rights of Third Parties) Act 1999 shall not apply and a person who is not a party to the Contract shall have no right under that Act to enforce any term thereof.

2.7. The Seller may assign, transfer or sub-contract any or all of its rights and obligations arising under, by reason of, or in connection with the Contract without the Buyer's consent. The Buyer shall not assign, transfer or sub-contract any or all of its rights and obligations arising under, by reason of, or in connection with the Contract. 2.8. Where not otherwise specifically provided for in these Conditions, the provisions of the ICC Incoterms 2000 shall apply and are incorporated herein.

3. PRICE & PAYMENT

3.1. The Price shall be the amount set out in the invoice issued by the Seller. Unless otherwise stated in the Seller's invoice the Price shall be inclusive of Value Added Tax (where appropriate) but exclusive of any packing, transportation costs, freight and insurance which shall be arranged and paid for by the Buyer. All import duties or taxes are at the sole risk and account of the Buyer. 3.2. The Price (including any prepayment agreed), shall be paid by the due date specified in the Seller's invoice. Payment shall be made by the Buyer net of charges and without any deductions or set off whatsoever.

3.3. Time for payment of the Seller's invoice shall be of the essence.

3.4. Interest on overdue invoices shall accrue daily from the date when payment becomes due, until the date of payment, at a rate of (2) % per month. pro rata

4. GOODS AND SERVICES

4.1. All warranties, conditions or terms relating to quantity, description, fitness for purpose, quality or condition of the Goods or Services, whether express or implied by statute or common law or otherwise, are excluded to the fullest extent permitted by law.

5. DELIVERY AND SUPPLY

5.1. The Seller shall not be liable to the Buyer for delays in manufacturing, late delivery or short delivery of the Goods or in the supply of the Services;

5.2. The Goods may be delivered in advance of the delivery date upon the Seller giving notice of the same to the Buyer. 5.3. The Buyer shall make all arrangements to take prompt and immediate delivery of the Goods whenever tendered for delivery. If the Buyer fails to do so, then the Seller is entitled to cancel the Contract and recover from the Buyer all damages, costs and expenses incurred.

5.4. The Seller shall not be liable for any loss or damage whatsoever due to failure by the Seller to deliver the Goods or supply the Services promptly or at all.

5.5. Notwithstanding that the Seller may have delayed or failed to deliver the Goods or supply the Services promptly the Buyer shall be bound to accept delivery and supply and to pay for the Goods or Services in full, when tendered for delivery or supply by the Seller.

6. ACCEPTANCE

6.1. Upon delivery in accordance with the terms of sale agreed, the Buyer shall immediately inspect and make every possible examination of the Goods or Services and notify forthwith the Seller in writing of any alleged defect, shortage in quantity, damage, failing which the Buyer shall be deemed to have accepted the Goods or Services.
 6.2. If the Buyer is entitled to reject any of the Goods, the Buyer shall nonetheless pay the full Price for such Goods unless the Buyer promptly gives notice of such rejection to the Seller and,

other than where the Goods are supplied ex-works, return such Goods to their source or such other destination as the Seller may direct, in their original packing and condition

6.3. Subject to the Buyer's right of rejection in Clause 6.2 above, notwithstanding the Sale of Goods Act 1979 s.35A(1), acceptance of some of the Goods by the Buyer shall deprive the Buyer of the right to reject the rest of the Goods, whether they conform to the Contract or not.

6.4. Where the Buyer rejects any Goods then the Buyer shall have no further rights whatsoever in respect of the supply to the Buyer of such Goods or the failure by the Seller to supply Goods which conform to the Contract.

6.5. After acceptance or deemed acceptance the Buyer shall not be entitled to reject Goods which are not in accordance with the Contract. 6.6. Goods delivered to the Buyer, which are in accordance with the Contract, will only be accepted for return with the prior written approval of the Seller, on terms to be determined at the absolute discretion of the Seller.

6.7. Any cancellation by the Buyer of the Goods or Services ordered shall result in forfeiture of any deposit or advance payment made and the Seller further reserves the right to claim for any provable damages and/or to charge cancellation fees equivalent to 20 % of the value of the order.

7. INSURANCE

7.1 Unless otherwise agreed in the Contract and so stated in the invoice, insurance for the Goods shall be separately arranged by the Buyer at the Buyer's sole responsibility and account. 8. FORCE MAJEURE

8.1. The Seller shall not be liable for any delays and or default due to any act of God, war, civil or labour disturbances, malicious damage, strike, lockout, industrial action, fire, flood, drought, extreme weather conditions, transportation difficulties, compliance with any law or governmental order, rule, regulation, direction or any other circumstance beyond the reasonable control of the Seller. Any date for delivery, provided delivery may still be effected, shall be extended by the period affected by force majeure.

9. TITLE & RISK

9.1. In spite of any delivery of the Goods having been made to the Buyer, title in the Goods shall at all times remain in the Seller and shall not pass to the Buyer until the Buyer has paid in full to the Seller the Price and any and all other sums whatsoever due from the Buyer to the Seller.

9.2. Until title in the Goods passes to the Buyer in accordance with this Clause, the Buyer shall:

9.2.1. Hold the Goods on a fiduciary basis as Bailee for the Seller;

9.2.2. Store the Goods, at no cost to the Seller, separately from all other goods in its possession;

9.2.3. Mark the Goods in such a way that they are clearly identified as the Seller's property; and 9.2.4. Not sell, pledge or otherwise encumber the Goods.

9.2.5. Keep the Goods insured for their full value against all risks including war risks.

9.3. The risk of loss of or damage to the Goods shall be on the Buyer in accordance with the provisions of the ICC Incoterms 2000 as may be amended. 10. REMEDIES

10.1. The Seller shall have no liability to the Buyer whatsoever unless any provable loss or damage was caused by the deliberate intent or recklessness of the executive officers of the Seller with knowledge that such loss or damage would result. The Seller shall have no liability for any consequential losses of the Buyer including but not limited to any loss of profit or liability of the Buyer to

any third party. The Seller's liability shall in any event not exceed the lesser of 10% of the Price or EUR 20,000. 10.2. If the Goods or Services are not in accordance with the Contract, then unless the Buyer has lawfully rejected the Goods in accordance with Clause 6 hereof, the Buyer's sole remedy shall be limited to the Seller making good any shortage by replacing such Goods or, if the Seller shall elect, by refunding a proportionate part of the Price or by the Sellers making good the Services

supplied. 10.3. The Seller shall be entitled to a general lien on all the Buyer's goods in the Seller's possession, including but not limited to all such Goods which have been paid for by the Buyer, for any and all amounts due to the Seller by the Buyer, without prejudice and in addition to any and all rights which the Seller has either by law or by virtue of these Conditions.

10.4. If, prior to the title in the Goods passing to the Buyer, such Goods are incorporated into, or used or used up during the building, repair or maintenance of any goods, title in those other goods shall be and remain with the Seller, and all the Seller's rights in the Goods shall extend to those other goods, until title in the Goods passes to the Buyer in accordance with these Conditions.

10.5. In respect of any sums due to the Seller, the Seller shall have the right to arrest and/or take any action against any vessel owned, chartered or managed by the Buyer, and against any other assets belonging to the Buyer, irrespective of whether the Goods were delivered to the Buyer in respect of such vessel. In the event of the Seller arresting and/or taking any action against any vessel owned, chartered or managed by the Buyer, the Buyer shall hold the Seller harmless for any losses incurred by the Buyer as a result and shall indemnify the Seller against claims for losses by the owner, charterer or manager of such vessel and against the costs of such arrest and/or action.

10.6. No waiver or forbearance by the Seller, whether express or implied, in enforcing any of its rights shall prejudice its right to do so in the future.

10.7. Any and all claims of the Buyer shall be notified to the Seller within no later than 14 days from the date of supply of the Goods or Services and such claims shall lapse and be time barred unless arbitration is commenced in accordance with these Conditions within one year from the date that the Goods or Services were supplied.

11. LAW & JURISDICTION

11.1. The Contract and these Conditions are governed by and shall be construed in accordance with Greek law.

11.2. Any proceedings by the Buyer against the Seller arising out of or in connection with the Contract and / or these Conditions shall be subject to the exclusive jurisdiction of the courts of Greece. Any proceedings by the Seller against the Buyer may be brought in the courts of Greece and the Buyer hereby submits to the jurisdiction of the Greek courts, but the Seller shall also have the right to commence proceedings in any other jurisdiction the Seller may consider expedient or where the Seller may found jurisdiction or in which country an arrest of vessel or assets may be effected.

11.3. The Buyer waives any objection it may at any time have to the venue of any proceedings referred to in this Clause and any claim that such proceedings have been brought in an inconvenient or inappropriate forum, and irrevocably agrees that a judgement in any such proceedings shall be conclusive and binding on it and may be enforced in the courts of any other jurisdiction. 11.4. Any claim form, notice, judgement or other legal process may effectively be served on the Buyer or on any vessel owned, chartered or managed by the Buyer, or on the Master or anyone acting as the Master thereof, irrespective of whether the Goods were supplied by the Seller in respect of that particular vessel, or any vessel at all. Nothing contained in these Conditions shall affect the right of the Seller to serve such process in any other manner permitted by law.



Edif. Arttysur, 6^a planta, oficina 3 Pol.Ind Las Marismas de Palmones. 11379 Puerto de Algeciras Tel: 0034 956020730 Fax: 0034 651480 319 E-mail: info@imostickers.com www.imostickers.com

